SAFETY DATA SHEET

DURON [™] -E 15W-40



IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE 1. **COMPANY/UNDERTAKING**

Identification of the substance	or mixture
Product name	: DURON ™ -E 15W-40
Code	: DE15, 420-065
Use of the substance/mixture	: DURON-E 15W-40 is a superior quality heavy duty diesel engine oil specifically designed for '07 EPA engine requirements along with improved performance benefits in legacy engines. Application includes modern low emission diesel engines with cooled exhaust gas recirculation and exhaust after treatment technology. It is suitable also for passenger car and light truck diesel engines, and spark ignition engines.
Company/undertaking identific	ation
Manufacturer	: Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga, Ontario Canada L5J 1K2
Supplier	: Petro-Canada Europe Lubricants The Manor Haseley Business Centre Warwick, Warwickshire CV35 7LS United Kingdom Tel: +44 (0) 2476-247294 Fax: +44 (0) 2476-247295
Emergency telephone number	: Suncor Energy: (001) 403-296-3000 Canutec Transportation: (001) 613-996-6666 Poison Control Centre: Consult local telephone directory for emergency number(s)

HAZARDS IDENTIFICATION 2.

Classification

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

: Not classified.

See section 11 for more detailed information on health effects and symptoms.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/preparation	: Preparation		
Ingredient name		CAS	%

-	number			
Mixture of severely hydrotreated and hydrocracked base oil (petroleum).	Mixture	-	Mixture	Not classified. [2]

EC number Classification

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in section 8.

4. FIRST AID MEASURES

First-aid measures Inhalation : Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention if symptoms occur. : Wash out mouth with water. Move exposed person to fresh air. Keep person warm Ingestion and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4. FIRST AID MEASURES Skin contact : Wash skin thoroughly with soap and water or use recognised skin cleanser. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

 Notes to physician
 : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

5. FIRE-FIGHTING MEASURES

Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	: In a fire or if heated, a pressure increase will occur and the container may burst.
	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Products of combustion	: Carbon oxides (CO, CO2), sulphur oxides (SOx), calcium oxides (CaOx), nitrogen oxides (NOx), phosphorus oxides (POx), zinc oxides (ZnOx), smoke and irritating vapours as products of incomplete combustion.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Remark	: Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment (see section 8).
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up		
Small spill	-	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. HANDLING AND STORAGE

Handling	: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking.
Storage	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Packaging materials	
Recommended	: Use original container.

Date of issue : 9/30/2010.	Internet: lubricants.petro-canada.ca/msds	Page: 2/6
Petro-Canada is a Suncor Energy b	usiness [™] Trademark of Suncor Energy Inc.	Used under licence.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limit values

Ingredient name	Occupational exposure limits	
Mixture of severely hydrotreate hydrocracked base oil (petrole		il)
Recommended monitoring procedures	this product contains ingredients with exposure limits, personal tmosphere or biological monitoring may be required to determin of the ventilation or other control measures and/or the necessity protective equipment. Reference should be made to European S methods for the assessment of exposure by inhalation to chemic pational guidance documents for methods for the determination of ubstances.	e the effectiveness to use respiratory Standard EN 689 for al agents and
Exposure controls		
Occupational exposure controls	to special ventilation requirements. Good general ventilation sh control worker exposure to airborne contaminants. If this produc ngredients with exposure limits, use process enclosures, local ex- ther engineering controls to keep worker exposure below any re- tatutory limits.	t contains xhaust ventilation or
Hygiene measures	Vash hands, forearms and face thoroughly after handling chemi- eating, smoking and using the lavatory and at the end of the work appropriate techniques should be used to remove potentially corver vash contaminated clothing before reusing. Ensure that eyewas afety showers are close to the workstation location.	king period. Itaminated clothing.
Respiratory protection	Jse a properly fitted, air-purifying or air-fed respirator complying tandard if a risk assessment indicates this is necessary. Respire based on known or anticipated exposure levels, the hazards one safe working limits of the selected respirator. Recommended lter	ator selection must of the product and
Hand protection	Chemical-resistant, impervious gloves complying with an approve we worn at all times when handling chemical products if a risk as his is necessary. Recommended: neoprene, nitrile, polyvinyl alcohol (PVA), Viton.	
Eye protection	Bafety eyewear complying with an approved standard should be assessment indicates this is necessary to avoid exposure to liqui lusts.	
Skin protection	Personal protective equipment for the body should be selected b eing performed and the risks involved and should be approved before handling this product.	
Environmental exposure controls	missions from ventilation or work process equipment should be hey comply with the requirements of environmental protection le ases, fume scrubbers, filters or engineering modifications to the vill be necessary to reduce emissions to acceptable levels.	gislation. In some

9. PHYSICAL AND CHEMICAL PROPERTIES

General information		
Appearance		
Physical state	:	Viscous liquid.
Colour	:	Light amber.
Odour	:	Mild petroleum oil like.
Important health, safety and	env	vironmental information
Flash point	:	Open cup: 235°C (455°F) [Cleveland.]
Auto-ignition temperature	:	Fire Point: 243°C (469.4°F)
Relative density	:	0.8725 kg/L @ 15°C (59°F)
Solubility	:	Insoluble in water.
Viscosity	:	116.1 cSt @ 40°C (104°F), 15.40 cSt @ 100°C (212°F), VI=139
Pour point	:	-42°C (-44°F)

DURON ™ -E 15W-40						
10. STABILITY AND REACTIVITY						
Chemical stability	:	The prod	uct is stable.			
Materials to avoid	:	Reactive compoun	00	nts, reducing a	gents, acids, halogens	and halogenated
Hazardous decomposition products	:				ercaptans, sulfides, m hen heated to decomp	
11. TOXICOLOGICA	LI	NFORM	ATION			
Potential acute health effec	ts					
Inhalation	:	No knowi	n significant effects	or critical haza	ards.	
Ingestion	:	No know	n significant effects	or critical haza	ards.	
Skin contact	:	No knowi	n significant effects	or critical haza	ards.	
Eye contact	:	No knowi	n significant effects	or critical haza	ards.	
Acute toxicity						
Product/ingredient name Mixture of severely hydrotr	eate		Result LD50 Dermal	<mark>Species</mark> Rabbit	<mark>Dose</mark> >2000 mg/kg	Exposure
hydrocracked base oil (pet	roleu	ım).	LD50 Oral	Rat	>5000 mg/kg	_
			LC50 Inhalation Dusts and mists	Rat	>5.2 mg/l	4 hours
Conclusion/Summary		Not availa	able.			
Potential chronic health eff	ects					
Chronic toxicity						
Conclusion/Summary	:	Not availa	able.			
Irritation/Corrosion						
Conclusion/Summary	:	Not availa	able.			
Sensitiser						
Conclusion/Summary	:	Not availa	able.			
Carcinogenicity						
Conclusion/Summary	:	Not availa	able.			
Mutagenicity						
Conclusion/Summary	:	Not availa	able.			
<u>Teratogenicity</u>						
Conclusion/Summary	:	Not availa	able.			
Reproductive toxicity						
Conclusion/Summary	:	Not availa	able.			
Chronic effects	:	No knowi	n significant effects	or critical haza	ards.	
Carcinogenicity	:	Not listed	as carcinogenic by	Y OSHA, NTP	or IARC.	
Mutagenicity	:	No known significant effects or critical hazards.				
Teratogenicity	:	No knowi	No known significant effects or critical hazards.			
Developmental effects	:	No knowi	No known significant effects or critical hazards.			
Fertility effects	:	No known significant effects or critical hazards.				
Over-exposure signs/sympto	<u>oms</u>					
Inhalation	:	No specif	ic data.			
Ingestion	:	No specif	ic data.			
Skin	:	No specif	ic data.			
Eyes	:	No specif	ic data.			
12. ECOLOGICAL IN	IFC	RMATI	ON			
Environmental effects		No know	n significant effects	or critical haz	ards.	
Aquatic ecotoxicity						

Aquatic ecotoxicity	
Conclusion/Summary	: Not available.
Biodegradability	
Conclusion/Summary	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

Date of issue : 9/30/2010.	Internet: lubricants.petro-canada.ca/msds	Page: 4/6
Petro-Canada is a Suncor Energy b	business ™ Trademark of Suncor Energy I	Inc. Used under licence.

13. DISPOSAL CONSIDERATIONS

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
Hazardous waste	: Within the present knowledge of the supplier, this product is not regarded as

hazardous waste, as defined by EU Directive 91/689/EEC.

14. TRANSPORT INFORMATION

International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	Not available.		Not available.	-		-
ADN/ADNR Class	Not available.		Not available.	-		-
IMDG Class	Not available.		Not available.	-		-
IATA Class	Not available.		Not available.	-		-

PG* : Packing group

15. REGULATORY INFORMATION

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

:	This product is not classified according to EU legislation.
:	Safety data sheet available for professional user on request.
:	All components are listed or exempted.
:	All components are listed or exempted.
:	At least one component is not listed in EINECS but all such components are listed in ELINCS. Please contact your supplier for information on the inventory status of this material.
:	China inventory (IECSC): All components are listed or exempted.

16. OTHER INFORMATION

Key data sources	: Available upon request. ™ Trademark of Suncor Energy Inc. Used under licence.		
<u>History</u>			
Date of printing	: 10/18/2010.		
Date of issue/ Date of revision	: 30 September 2010		
Date of previous issue	: 9/4/2009.		
Prepared by	: Product Safety - DSR		
Indicatos information the	at has changed from providually issued version		

Indicates information that has changed from previously issued version.

16. OTHER INFORMATION

For Copy of (M)SDS

: Internet: lubricants.petro-canada.ca/msds

Lubricants:

Western Canada, telephone: (001) 800-661-1199; fax: (001) 800-378-4518 Ontario & Central Canada, telephone: (001) 800-268-5850; fax: (001) 800-201-6285 Quebec & Eastern Canada, telephone: (001) 800-576-1686; fax: (001) 800-201-6285

For Product Safety Information: (001) 905-804-4752

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.